

Specification Sheet

Part Number: 151-04045

Connector clips provide a single method to mount connectors to various surfaces in a variety of applications.

Highly engineered designs feature anti-rattle discs, anti-rotation oval fir trees and clamps for mounting on edges.



A wide assortment of styles is available to fit the variety of connector slot designs made by most of the largest global connector manufacturers.

Connector Clip w/Oval Fir Tree,7mm, 0.6-3.0 mm Panel Thickness, PA66HIRHSUV, Black, 3500/ctn

Article Number 151-04045

Type CC7OVAL8

Color Black (BK)

Quantity Per bag

Product Description HellermannTyton Connector Clips feature various attachment point configurations to accommodate the many connectors on the market. They are first mated with a connector on a wire harness or cable assembly, then secured to a surface using the integrated mount. With so many configurations available, attachment surfaces can be a hole, edge, stud or even another harness assembly.

Short Description Connector Clip w/Oval Fir Tree,7mm, 0.6-3.0 mm Panel Thickness, PA66HIRHSUV, Black, 3500/ctn

| | |
|-------------------------------------|--|
| Global Part Name | CC7OVAL8-PA66HIRHSUV-BK |
| Length L (Imperial) | 1.33 |
| Length L (Metric) | 28.8 |
| Fixation Method | Arrowhead for oval holes |
| Width W (Imperial) | 0.68 |
| Width W (Metric) | 17.31 |
| Height H (Imperial) | 0.69 |
| Height H (Metric) | 17.55 |
| Panel Thickness Min (Imperial) | 0.02 |
| Panel Thickness Max (Imperial) | 0.11 |
| Panel Thickness Min (Metric) | 0.6 |
| Panel Thickness Max (Metric) | 3.0 |
| Mounting Hole Diameter D (Imperial) | 0.24 x 0.48 "; 0.25 x 0.50 "; 0.25 x 0.51 "; 0.27 x 0.47 |
| Mounting Hole Diameter D (Metric) | 7.0 x 12.0 mm 6.5 x 12.5 mm 6.2 x 12.2 mm 6.5 x 13.0 mm |

| | |
|------------------------------|--|
| Material | Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV) |
| Material Shortcut | PA66HIRHSUV |
| UV Resistant (Yes/No) | Yes |
| Reach Compliant (Article 33) | Yes |
| ROHS Compliant | Yes |
| Package Quantity (Imperial) | 3500 |
| Package Quantity (Metric) | 3500 |

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 40 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2024 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)