

## Specification Sheet

Part Number: 151-10913



Q Mount, 0.16" Hole Dia, 1.6" x 1.6" x 0.26", 4 way entry for Q18–Q120 ties, PA66, Black, 100/bag

Article Number	151-10913
Type	QM40
Color	Black (BK)
Features & Benefits	<ul style="list-style-type: none"><li>•2- or 4-way entry options for the Q-Tie, offering flexibility and stability</li><li>•Designed for use with 18- through 120-pound cable ties to provide stability when securing bundles.</li><li>•Secures with a single screw, providing quick installation.</li></ul>
Quantity Per	bag

### Product Description

Q-Series mounting bases are designed to work exclusively with the Q-Tie® cable tie series. This mounting component can be secured with screws. The Q-Mount allows either a two- or four-way entry for the Q-Tie, providing a quick and simple insertion into the mount. Once in place, the Q-Tie will not slip out, even in vertical mounting applications.

**Short Description**

Q Mount, 0.16" Hole Dia, 1.6" x 1.6" x 0.26", 4 way entry for Q18–Q120 ties, PA66, Black, 100/bag

**Global Part Name**

QM40-PA66-BK

**Length L (Imperial)**

1.6

**Length L (Metric)**

40.0

**Fixation Method**

Screw Mounting and Rivet

**Width W (Imperial)**

1.6

**Width W (Metric)**

40.0

**Cable Ties**

Q-Ties

**Height H (Imperial)**

0.23

**Height H (Metric)**

5.5

**Cable Tie Width Max (Imperial)**

0.31

**Cable Tie Width Max (Metric)**

8.4

**Mounting Hole Diameter D (Imperial)**

0.16

**Mounting Hole Diameter D (Metric)**

4.1 mm

**Mounting Hole Diameter D Min (Imperial)**

0.16

**Mounting Hole Diameter D Max (Metric)**

4.1

**Mounting Hole Centers (Imperial)**

1.19

**Material**

Polyamide 6.6 (PA66)

**Material Shortcut**

PA66

**Flammability**

UL 94 V2

**Halogen free**

Yes

**Operating Temperature (Metric)**

-40°F to +185°F (-40°C to +85°C)

**Reach Complaint(Article 33)**

Yes

**ROHS Complaint**

Yes

**Package Quantity(Imperial)**

50

**Package Quantity (Metric)**

50

**Content Unit(BMEcat)**

pcs.