

Specification Sheet

Part Number: 151-14059



RB Adhesive Cable Clamp, 0.20" Max. Bundle Dia, PA66, Natural, 100/pkg

| | |
|--------------------------------|---|
| Article Number | 151-14059 |
| Type | RB5 |
| Color | Natural (NA) |
| Features & Benefits | <ul style="list-style-type: none">•Simple snap-in design allows for quick and easy installation or removal of cables.•Rubber based adhesive allows for a permanent bond to most surfaces. |
| Quantity Per | pcs. |
| Product Description | The RB Adhesive cable clamps are designed with an easy snap-in feature allowing simple installation or removal of cables, pipes or hoses. The rubber based adhesive allows for a permanent bond to most surfaces. |
| Short Description | RB Adhesive Cable Clamp, 0.20" Max. Bundle Dia, PA66, Natural, 100/pkg |

Global Part Name

RB5-PA66-NA

Length L (Imperial)

0.75

Length L (Metric)

19.0

Fixation Method

Pasting / Stick

Variant

Closed

Width W (Imperial)

0.75

Width W (Metric)

19.0

Bundle Diameter Max (Imperial)

0.20

Bundle Diameter Max (Metric)

5.0

Height H (Imperial)

0.24

Height H (Metric)

6.0

Nominal Diameter (Imperial)

3/16

Nominal Diameter (Metric)

5.0

Material

Polyamide 6.6 (PA66)

Material Shortcut

PA66

| | |
|---------------------------------------|---|
| Adhesive | Synthetic rubber with base of polyethylene foam |
| Flammability | UL 94 V2 (excluding adhesive) |
| UV Resistant (Yes/No) | No |
| Adhesive Operating Temperature | -40°F to +140°F (-40°C to +60°C) |
| Operating Temperature (Metric) | -40°F to +185°F (-40°C to +85°C) |
| Reach Complaint(Article 33) | Yes |
| ROHS Complaint | Yes |
| Package Quantity(Imperial) | 100 |
| Package Quantity (Metric) | 100 |
| Customs Number | 3926909987 |
| Content Unit(BMEcat) | pcs. |
| Weight (Metric) | 3 |