


## Specification Sheet

Part Number: MB5A10A2F4



Adhesive Cable Tie Mount, 1.49" x 1.49", .35" Max Tie Width, .19" Hole Dia, PA66/Acrylate, White, 250/pkg

Article Number	151-28610
Type	MB5A
Color	White (WH)
Features & Benefits	<ul style="list-style-type: none"><li>• For use with 18 and 30 pound cable ties to provide stability when securing bundles.</li><li>• Secures with rubber based adhesive backing and/or two or four screws.</li><li>• 4 way opening allows cable ties to be installed parallel or perpendicular to wire bundles.</li></ul>
Quantity Per	bag

### Product Description

HellermannTyton adhesive fastened mounting bases are used with 18 through 150 pound cable ties to provide stability when securing bundles. The mounts are installed using the adhesive backing and/or by securing two or four screws. The 4 way opening allows the cable ties to be inserted parallel or perpendicular to the wire bundles.

<b>Short Description</b>	Adhesive Cable Tie Mount, 1.49" x 1.49", .35" Max Tie Width, .19" Hole Dia, PA66/Acrylate, White, 250/pkg
<b>Global Part Name</b>	MB5A-PA66-WH
<b>Length L (Imperial)</b>	1.49
<b>Length L (Metric)</b>	37.7
<b>Fixation Method</b>	Screw Mounting and Adhesive
<b>Width W (Imperial)</b>	1.49
<b>Width W (Metric)</b>	37.7
<b>Cable Ties</b>	T18 - T150
<b>Height H (Imperial)</b>	.28
<b>Height H (Metric)</b>	7.10
<b>Cable Tie Width Max (Imperial)</b>	0.35
<b>Cable Tie Width Max (Metric)</b>	8.9
<b>Mounting Hole Diameter D (Imperial)</b>	0.19
<b>Mounting Hole Diameter D (Metric)</b>	4.8 mm
<b>Mounting Hole Diameter D Max (Metric)</b>	4.8
<b>Mounting Hole Centers (Imperial)</b>	1.0

<b>Material</b>	Polyamide 6.6 (PA66)
<b>Material Shortcut</b>	PA66
<b>Adhesive</b>	Acrylate with base of acrylic foam
<b>Flammability</b>	UL 94 V2 (excluding adhesive)
<b>Adhesive Operating Temperature</b>	-4°F to +122°F (-20°C to +50°C)
<b>Operating Temperature (Metric)</b>	-40°F to +185°F (-40°C to +85°C)
<b>ROHS Complaint</b>	Yes
<b>Package Quantity(Imperial)</b>	250
<b>Package Quantity (Metric)</b>	250
<b>Customs Number</b>	3926909987