


## Specification Sheet

Part Number: 156-00014



2-Piece Cable Tie with Pipe Clip, 6.0" Long, Attaches to Diameter 0.26" - 1.2", PA46, Black, 500/pkg

**Article Number** 156-00014

**Type** T30ROC2A

**Color** Gray (GY)

**Features & Benefits**

- Bundle can rotate to any orientation, allowing routing in any direction regardless of mounting point.
- 2-piece design allows installer to slide clip around cable tie to obtain optimum orientation
- Clip is reusable, making relocation or adjustments simple.

**Quantity Per** bag

**Product Description**

HellermannTyton's 2-Piece Cable Tie with Pipe Clip secures cables to tubular frame rails. The cable tie bundles wires, cables or tubes, and the C-clip snaps onto the tubular frame rail. The clip can be removed from the mounting surface and reinstalled without additional fasteners.

<b>Short Description</b>	2-Piece Cable Tie with Pipe Clip, 6.0" Long, Attaches to Diameter 0.26" - 1.2", PA46, Black, 500/pkg
<b>Global Part Name</b>	T30ROC2A-PA46-GY
<b>Minimum Tensile Strength (Imperial)</b>	30.0
<b>Minimum Tensile Strength (Metric)</b>	135
<b>Length L (Imperial)</b>	5.8
<b>Length L (Metric)</b>	148.0
<b>Fixation Method</b>	Omega Clips
<b>Identification Plate Position</b>	none
<b>Width W (Imperial)</b>	0.14
<b>Width W (Metric)</b>	3.6
<b>Bundle Diameter Min (Imperial)</b>	0.16
<b>Bundle Diameter Min (Metric)</b>	4.0
<b>Bundle Diameter Max (Imperial)</b>	1.2
<b>Bundle Diameter Max (Metric)</b>	31.0
<b>Height H (Imperial)</b>	0.7

<b>Material</b>	Polyamide 4.6 (PA46)
<b>Material Shortcut</b>	PA46
<b>Material Cable Tie</b>	Polyamide 4.6 (PA46)
<b>Flammability</b>	UL 94 V2
<b>Operating Temperature (Metric)</b>	-40°F to +302°F (-40°C to +150°C)
<b>Reach Complaint(Article 33)</b>	Yes
<b>ROHS Complaint</b>	Yes
<b>Package Quantity(Imperial)</b>	500
<b>Package Quantity (Metric)</b>	500
<b>Customs Number</b>	3926909988
<b>Content Unit(BMEcat)</b>	pcs.
<b>Weight (Metric)</b>	0.9