

Specification Sheet

Part Number: 156-00306



2-Piece Cable Tie with Pipe Clip, 50lbs, Clip Dia .16"-.4" Max Bun Dia. 1.38" PA66HS Tie, HIRHS MNT, BLK
500/pkg

Article Number	156-00306
Type	T50ROC1B
Color	Black (BK)
Features & Benefits	<ul style="list-style-type: none">•Bundle can rotate to any orientation, allowing routing in any direction regardless of mounting point.•2-piece design allows installer to slide clip around cable tie to obtain optimum orientation•Clip is reusable, making relocation or adjustments simple.
Quantity Per	bag
Product Description	HellermannTyton's 2-Piece Cable Tie with Pipe Clip secures cables to tubular frame rails. The cable tie bundles wires, cables or tubes, and the C-clip snaps onto the tubular frame rail. The clip can be removed from the mounting surface and reinstalled without additional fasteners.

Short Description	2-Piece Cable Tie with Pipe Clip, 50lbs, Clip Dia .16"-.4" Max Bun Dia. 1.38" PA66HS Tie, HIRHS MNT, BLK 500/pkg
--------------------------	--

Global Part Name	T50ROC1B-PA66HS/PA66HIRHS-BK
-------------------------	------------------------------

Minimum Tensile Strength (Imperial)	50.0
--	------

Minimum Tensile Strength (Metric)	225
--	-----

Length L (Imperial)	8.0
----------------------------	-----

Length L (Metric)	202.0
--------------------------	-------

Fixation Method	Omega Clips
------------------------	-------------

Identification Plate Position	none
--------------------------------------	------

Tie Closure	plastic pawl
--------------------	--------------

Width W (Imperial)	0.181
---------------------------	-------

Width W (Metric)	4.6
-------------------------	-----

Bundle Diameter Min (Imperial)	0.16
---------------------------------------	------

Bundle Diameter Min (Metric)	4.0
-------------------------------------	-----

Bundle Diameter Max (Imperial)	1.8
---------------------------------------	-----

Bundle Diameter Max (Metric)	45.0
-------------------------------------	------

Thickness T (Imperial)	0.05
-------------------------------	------

Thickness T (Metric)	1.2
Height H (Imperial)	0.05
Height H (Metric)	1.2
Material	Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS) Polyamide 6.6 heat stabilized (PA66HS)
Material Shortcut	PA66HIRHS PA66HS
Material Cable Tie	Polyamide 6.6 heat stabilized (PA66HS)
Flammability	UL 94 HB
Operating Temperature (Metric)	-40°F to +221°F (-40°C to +105°C)
Reach Complaint(Article 33)	Yes
ROHS Complaint	Yes
Package Quantity(Imperial)	500
Package Quantity (Metric)	500
Customs Number	3926909987
Content Unit(BMEcat)	pcs.
Weight (Metric)	2.6

© 2019 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)