

Specification Sheet

Part Number: 156-01292



LOC Locking Clamp, 15–19 mm, Unassembled to T50R Tie, PA66HIRHSUV, Black, 1000/ctn

Article Number

156-01292

Type

T50RLOC15-19-SET

Color

Black (BK)

Features & Benefits

- The 360 degree locking enclosure and cable tie dynamically fit a range of bundle sizes.
- Clamp can be opened for bundle maintenance.
- Low-profile release tab won't interfere with bundle or nearby routing.
- The two bundles are allowed to rotate up to 90 degrees from one another.

Quantity Per

carton

Product Description

The Locking Clip creates a full and secure lock completely around a wire bundle ranging from 10-14mm. The fixating fir tree on this clip allows for the clip to be secured into a panel by a 6mm round hole.

Short Description

LOC Locking Clamp, 15–19 mm, Unassembled to T50R Tie, PA66HIRHSUV, Black, 1000/ctn

Global Part Name

T50RLOC15-19-SET-PA66HIRHSUV-BK

Minimum Tensile Strength (Imperial)

50

Minimum Tensile Strength (Metric)

225

Length L (Imperial)

1.24

Length L (Metric)

31.6

Fixation Method

Omega Clips

Identification Plate Position

none

Releasable Closure

No

Tie Closure

plastic pawl

Variant

Inside Serrated

Bundle Diameter Min (Imperial)

0.59

Bundle Diameter Min (Metric)

15.0

Bundle Diameter Max (Imperial)

0.75

Bundle Diameter Max (Metric)

19.0

Height H (Imperial)

1.31

Height H (Metric)

33.4

Depth D (imperial)

0.47

Depth D (metric)	12.0
Mounting Hole Diameter D (Imperial)	0.59 - 0.75
Mounting Hole Diameter D (Metric)	15.0 - 19.0 mm
Mounting Hole Diameter D Min (Imperial)	0.61
Mounting Hole Diameter D Max (Imperial)	0.78
Mounting Hole Diameter D Max (Metric)	19.0
Stud Diameter (Metric)	M6
Material	Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)
Material Shortcut	PA66HIRHSUV
Flammability	UL 94 HB
Halogen free	Yes
Operating Temperature (Metric)	-40°F to +230°F (-40°C to +110°C)
Reach Complaint(Article 33)	Yes
ROHS Complaint	Yes
Package Quantity(Imperial)	1000

Package Quantity (Metric) 1000

Customs Number 3926909987

Content Unit(BMEcat) pcs.

Weight (Metric) 3.22

Weight (Imperial) 0.11