

## Specification Sheet

Part Number: 156-02177



MOC Clip to MOC Clip Perpendicular, 22 mm, 7 mm Perpendicular, PA66HIRHSUV, Black, 1000/ctn

**Article Number**

156-02177

**Type**

MOC22FMOC7M180

**Color**

Black (BK)

**Features & Benefits**

- Patented retention design features inverted retaining legs, narrow opening and circular retainer to prevent inadvertent disengagement.
- Controlled flex and angled entry promote easy installation.
- Independent rotation allows for adjustable routing orientation.

**Quantity Per**

carton

**Product Description**

The MOC to MOC 180 is a rotatable dual routing clip that keeps two routings secured and separated. One clip is orientated 90 degrees from the other to provide alternative access for bundle attachment. A swivel coupler allows them to rotate independently of each other.

**Short Description**

MOC Clip to MOC Clip Perpendicular, 22 mm, 7 mm Perpendicular, PA66HIRHSUV, Black, 1000/ctn

**Global Part Name**

MOC22FMOC7M180-PA66HIRHSUV-BK

**Length L (Imperial)**

1.89

**Length L (Metric)**

47.98

**Variant**

Clip to Clip Transverse

**Bundle Diameter Min (Imperial)**

0.79

**Bundle Diameter Min (Metric)**

20.0

**Bundle Diameter Max (Imperial)**

0.98

**Bundle Diameter Max (Metric)**

25.0

**Height H (Imperial)**

1.44

**Height H (Metric)**

36.5

**Depth D (imperial)**

0.47

**Depth D (metric)**

12.0

**Material**

Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)

**Material Shortcut**

PA66HIRHSUV

<b>Flammability</b>	UL 94 HB
<b>Halogen free</b>	Yes
<b>Operating Temperature (Metric)</b>	-40°F to +230°F (-40°C to +110°C)
<b>ROHS Complaint</b>	Yes
<b>Package Quantity(Imperial)</b>	1000
<b>Package Quantity (Metric)</b>	1000
<b>Weight (Metric)</b>	4.12
<b>Weight (Imperial)</b>	0.15