

Specification Sheet

Part Number: 156-02434



2-Piece Cable Tie/Fir Tree Mount, 6.5mm Hole and M8 Threaded Hole, PA46, Brown, 1200/ctn

Article Number

156-02434

Type

WSSDFTM8WSSDSET

Color

Brown (BN)

Features & Benefits

- Versatile and robust fir tree design provides low insertion effort yet delivers exceptional retention strength in an 6.5 mm hole and M8 threaded hole.
- Wider and thinner strap design increases flexibility and minimizes pinching of bundles, hoses and tubing.
- PA46 nylon material provides great performance at up to 135°F continuous operating temperature.

Quantity Per

carton

Product Description

These two-piece fasteners are pre-assembled and offer a simple and versatile method of bundling and mounting cables. Sold as an unassembled set, this oval fir tree and tie combination allows the user to install the tie in two different directions, securing the bundle perpendicular or inline to the oval mounting hole.

Short Description	2-Piece Cable Tie/Fir Tree Mount, 6.5mm Hole and M8 Threaded Hole, PA46, Brown, 1200/ctn
Global Part Name	WSSDFTM8WSSDSET-PA46-BN
Minimum Tensile Strength (Imperial)	120.0
Minimum Tensile Strength (Metric)	533.0
Length L (Imperial)	9.1
Length L (Metric)	231.14
Fixation Method	Fir Tree
Identification Plate Position	none
Releasable Closure	No
Tie Closure	plastic pawl
Variant	Inside Serrated
Width W (Imperial)	0.88
Width W (Metric)	22.6
Bundle Diameter Max (Imperial)	2.25
Bundle Diameter Max (Metric)	57.15
Height H (Imperial)	0.89

Height H (Metric)	22.77
Panel Thickness Min (Metric)	0.6
Panel Thickness Max (Metric)	6.0
Mounting Hole Diameter D (Imperial)	0.25
Mounting Hole Diameter D (Metric)	6.5 mm M8
Material	Polyamide 4.6 (PA46)
Material Shortcut	PA46
Operating Temperature (Metric)	-40°F to +266°F (-40°C to +130°C)
ROHS Complaint	Yes
Package Quantity(Imperial)	1200
Package Quantity (Metric)	1200
Customs Number	3926909988

