

## Specification Sheet

Part Number: 156-02592

Robust fir tree design provides low insertion effort yet delivers exceptional retention strength in a 12 mm hole, for ease of use and reliable performance.

Heavy Duty T120 tie provides a 120lb (534 N) tensile strength to secure bundles up to 4" (104 mm).

Friction tab inside the fir tree allows the tie to sit in mount without falling out prior to installation.

PA46 nylon material provides great performance at up to 135°F continuous operating temperature.



2-Piece Cable Tie/Fir Tree Mount, Unassembled Set, 15.2"L, 12mm Mounting Hole, PA46, Gray, 1000/ctn

**Article Number** 156-02592

**Type** T120RFT12SET

**Color** Gray (GY)

**Quantity Per** carton

**Product Description** These two-piece fasteners offer a simple and versatile method of bundling and mounting cables. Sold as an unassembled set, this oval fir tree and tie combination allows the user to install the tie in two different directions, securing the bundle perpendicular or inline to the oval mounting hole.

<b>Short Description</b>	2-Piece Cable Tie/Fir Tree Mount, Unassembled Set, 15.2"L, 12mm Mounting Hole, PA46, Gray, 1000/ctn
<b>Global Part Name</b>	T120RFT12SET-PA46-GY
<b>Minimum Tensile Strength (Imperial)</b>	120.0
<b>Minimum Tensile Strength (Metric)</b>	535.0
<b>Length L (Imperial)</b>	0.89
<b>Length L (Metric)</b>	22.6
<b>Fixation Method</b>	Fir Tree
<b>Identification Plate Position</b>	none
<b>Releasable Closure</b>	No
<b>Tie Closure</b>	plastic pawl
<b>Variant</b>	Inside Serrated
<b>Width W (Imperial)</b>	0.80
<b>Width W (Metric)</b>	20.40
<b>Bundle Diameter Min (Imperial)</b>	0.20
<b>Bundle Diameter Min (Metric)</b>	5.0

<b>Bundle Diameter Max (Imperial)</b>	4.13
<b>Bundle Diameter Max (Metric)</b>	105.0
<b>Height H (Imperial)</b>	1.17
<b>Height H (Metric)</b>	29.70
<b>Mounting Hole Diameter D (Imperial)</b>	0.47
<b>Mounting Hole Diameter D (Metric)</b>	12.0 mm

**Material** Polyamide 4.6 (PA46)

**Material Shortcut** PA46

**Operating Temperature** -40°F to +266°F (-40°C to +130°C)

**ROHS Compliant** Yes

**Package Quantity (Imperial)** 1000

**Package Quantity (Metric)** 1000

**Customs Number** 3926909988

