

## Specification Sheet

Part Number: 156-02604



Head allows for a lateral adjustment on stud during installation.  
Quick and easy installation ideal for manufacturing environment.

2-Piece Cable Tie/Stud Mount, 8.0"L, .25" Stud Mount, PA66HIRHSUV/Celcon M90, Black, 2000/ctn

Article Number 156-02604

Type T50RSBXL6U-SET

Color Black (BK)

Quantity Per bag

Product Description With their low insertion force and high extraction performance, HellermannTyton mounting ties offer the ideal combination of high-grade materials and superior design to suit the mounting and bundling needs of complex applications. The Stud Mount's special design allows for a lateral adjustment, to correct any misalignment of the stud or incorrect position of the tie on the cables.

Short Description 2-Piece Cable Tie/Stud Mount, 8.0"L, .25" Stud Mount, PA66HIRHSUV/Celcon M90, Black, 2000/ctn

Global Part Name T50RSBXL6U-SET-PA66HIRHS/POM-BK

Minimum Tensile Strength (Imperial) 50.0

Minimum Tensile Strength (Metric) 222.0

Length L (Imperial) 8.0

Length L (Metric) 203.0

Fixation Method Weld Stud Fixing

Identification Plate Position none

Releasable Closure No

Tie Closure plastic pawl

Bundle Diameter Min (Imperial) 0.16

Bundle Diameter Min (Metric) 4.0

Bundle Diameter Max (Imperial) 1.77

Bundle Diameter Max (Metric) 45.0

Height H (Imperial) 1.38

Height H (Metric) 35.0

Stud Diameter (Metric) 6.0 mm

Stud Diameter (Imperial)	0.25
Material	Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS) Polyacetal (POM)
Material Shortcut	POM PA66HIRHS
Operating Temperature	-40°F to +230°F (-40°C to +110°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	2000
Package Quantity (Metric)	2000
Customs Number	3926909988