

Specification Sheet

Part Number: 156-02604



2-Piece Cable Tie/Stud Mount, 8.0"L, .25" Stud Mount, PA66HIRHSUV/Celcon M90, Black, 2,000/ctn

Article Number	156-02604
Type	T50ROSSBXL6USET
Color	Black (BK)
Features & Benefits	<ul style="list-style-type: none">• Head allows for a lateral adjustment on stud during installation.• Quick and easy installation ideal for manufacturing environment.
Quantity Per	carton

Product Description

With their low insertion force and high extraction performance, HellermannTyton mounting ties offer the ideal combination of high-grade materials and superior design to suit the mounting and bundling needs of complex applications. Available in standard and high-heat material options. The Stud Mount's special design allows for a lateral adjustment, to correct any misalignment of the stud or incorrect position of the tie on the cables.

Short Description

2-Piece Cable Tie/Stud Mount, 8.0"L, .25" Stud Mount, PA66HIRHSUV/Celcon M90, Black, 2,000/ctn

Global Part Name

T50ROSSBXL6USET-PA66HIRHS/POM-BK

Minimum Tensile Strength (Imperial)

50.0

Minimum Tensile Strength (Metric)

225.0

Length L (Imperial)

8.0

Length L (Metric)

203.0

Fixation Method

Weld Stud Fixing

Identification Plate Position

none

Releasable Closure

No

Tie Closure

plastic pawl

Bundle Diameter Min (Imperial)

0.16

Bundle Diameter Min (Metric)

4.0

Bundle Diameter Max (Imperial)

1.8

Bundle Diameter Max (Metric)

45.0

Height H (Imperial)

1.38

Height H (Metric)

35.0

Stud Diameter (Metric)	6.0 mm
Stud Diameter (Imperial)	0.25
Material	Polyacetal (POM) Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS)
Material Shortcut	POM PA66HIRHS
Operating Temperature (Metric)	-40°F to +230°F (-40°C to +110°C)
Reach Complaint(Article 33)	Yes
ROHS Complaint	Yes
Package Quantity(Imperial)	2000
Package Quantity (Metric)	2000
Customs Number	3926909988
Content Unit(BMEcat)	pcs.