

## Specification Sheet

Part Number: 156-03013



Three-piece wide strap tie and coupler assembly bundles and separates two routings at any angle from parallel to 90 degrees from each other. Wide strap ties minimize pinching of soft hoses and convoluted tubing, while the coupler protects routings from friction and abrasion.

Space-saving coupler means more room for routings.

3-Pc Wide Strap Tie with Coupler, 9.1" Long, 0.37" - 2.25" Dia, 120lbs, PA46, Brown, 100/bag

Article Number	156-03013
Type	DUALWSSASSY
Color	Brown (BN)
Quantity Per	bag
Product Description	Couplers simplify connecting two cable ties for routing and separating bundles. Designed to allow up to 90 degrees of rotation, these assemblies are ideal for applications in which the bundle, pipe or hose requires slight movement in relation to the fastening point. Manufactured using PA46 high-heat material.
Short Description	3-Pc Wide Strap Tie with Coupler, 9.1" Long, 0.37" - 2.25" Dia, 120lbs, PA46, Brown, 100/bag

Global Part Name DUALWSSASSY-PA46-BN

Minimum Tensile Strength (Imperial) 120.0

Minimum Tensile Strength (Metric) 535.0

Length L (Imperial) 9.1

Length L (Metric) 231.0

Tie Closure plastic pawl

Variant Inside Serrated

Width W (Imperial) 1.06

Width W (Metric) 27.0

Bundle Diameter Min (Imperial) 0.375

Bundle Diameter Min (Metric) 9.525

Bundle Diameter Max (Imperial) 2.25

Bundle Diameter Max (Metric) 58.4

Material Polyamide 4.6 (PA46)

Material Shortcut	PA46
Operating Temperature	-40°F to +266°F (-40°C to +130°C)
ROHS Compliant	Yes
Package Quantity (Imperial)	100
Package Quantity (Metric)	100