

Specification Sheet

Part Number: 156-03169



Cable tie and mount combination eliminates the need for multiple-sized fixed-diameter clamps.

Soft TPE inner layer inhibits lateral movements on the bundle, especially on smooth tubing

Pre-locking feature holds the cable tie in place before it is tensioned.

Soft-grip cable ties can be removed with a screwdriver for maintenance.

2-Pc. Soft-Grip Tie/Heavy Duty Mount, Unassembled Set, PA66HIRHSUV/TPE, Black/Blue, 500/ctn

Article Number 156-03169

Type SGT100SHDM320SET

Color Black (BK) Blue (BU)

Quantity Per bag

Product Description The Soft-Grip Cable Tie features a pliable TPE layer that protects sensitive wire bundles and tubes. The cable tie maintains a high tensile strength and low insertion force. Arrowhead and heavy duty mount options provide an all-in-one bundling and mounting solution.

Short Description 2-Pc. Soft-Grip Tie/Heavy Duty Mount, Unassembled Set, PA66HIRHSUV/TPE, Black/Blue, 500/ctn

Global Part Name SGT100SHDM320SET-PA66HIRHSUV/TPE-BK/BU

Minimum Tensile Strength (Imperial)	71
Minimum Tensile Strength (Metric)	315
Length L (Imperial)	5.51
Length L (Metric)	140.0
Fixation Method	Screw Mount
Identification Plate Position	none
Releasable Closure	No
Tie Closure	plastic pawl
Variant	Inside Serrated
Width W (Imperial)	0.5
Width W (Metric)	12.7
Bundle Diameter Min (Imperial)	0.39
Bundle Diameter Min (Metric)	10.0
Bundle Diameter Max (Imperial)	1.0
Bundle Diameter Max (Metric)	25.4
Height H (Imperial)	0.81

Height H (Metric)	20.7
Mounting Hole Diameter D (Imperial)	0.33
Mounting Hole Diameter D (Metric)	8.31 mm
Mounting Hole Diameter D Max (Metric)	8.31
Material	Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV) Thermoplastic Elastomer (TPE)
Material Shortcut	PA66HIRHSUV TPE
Material Cable Tie	Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)
Flammability	UL 94 HB
Halogen Free	No
UV Resistant (Yes/No)	Yes
Operating Temperature	-40°F to +221°F (-40°C to +105°C)
Reach Compliant (Article 33)	No
ROHS Compliant	Yes
Package Quantity (Imperial)	500

Package Quantity (Metric) 500

Customs Number 3926909988

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2024 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)