

Specification Sheet

Part Number: 156-03182



Keeps three bundles separated and parallel to one another.

Preassembled cable tie on bracket for easier installation.

2-Piece Triple Bracket Separator, Outside Serrated 120 lb Tie, 0.98" Max Dia., PA66HIRHSUV, Blk, 250/ctn

Article Number	156-03182
Type	T120Triple25
Color	Black (BK)
Quantity Per	carton
Product Description	The two-piece triple bracket separator mounts three bundles with a T120 outside-serrated cable tie. This product can be used for alternating current (AC) lines or with direct current (DC) lines that need to include a ground cable or adjacent cooling line.
Short Description	2-Piece Triple Bracket Separator, Outside Serrated 120 lb Tie, 0.98" Max Dia., PA66HIRHSUV, Blk, 250/ctn
Global Part Name	T120TRIPLE25-PA66HIRHSUV-BK

Minimum Tensile Strength (Imperial)	120
Minimum Tensile Strength (Metric)	535
Length L (Imperial)	3.78
Length L (Metric)	96.0
Identification Plate Position	none
Width W (Imperial)	1.15
Width W (Metric)	29.0
Bundle Diameter Max (Imperial)	0.98
Bundle Diameter Max (Metric)	25
Bundle Diameter 1st Loop Max (Imperial)	0.98
Bundle Diameter 1st Loop Max (Metric)	25
Bundle Diameter 2nd Loop Max (Imperial)	0.98
Bundle Diameter 2nd Loop Max (Metric)	25
Height H (Imperial)	1.46
Height H (Metric)	37.0

Material	Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)
Material Shortcut	PA66HIRHSUV
Material Cable Tie	Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)
UV Resistant (Yes/No)	Yes
Operating Temperature	-40°F to +221°F (-40°C to +105°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	250
Package Quantity (Metric)	250
Customs Number	3926909988

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 40 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).