

## Specification Sheet

Part Number: 156-03301



Patented retention design features inverted retaining legs, narrow opening and circular retainer to prevent inadvertent disengagement.

Controlled flex and angled entry promote easy installation.

Independent rotation allows for adjustable routing orientation.

MOC Clip, 5 mm dia, 5 mm dia, with 6.5 mm Fir Tree, PA66HIRHSUV, Black, 2000/ctn

Article Number 156-03301

Type MOC5FMOC5FT6.5M

Color Black (BK)

Quantity Per carton

Product Description The MOC with round fir tree features two of HellermannTyton's unique retention clips for dual routings, plus an integrated fir tree to fit securely in a 6.5 (+/-0.4) mm hole. The mount delivers a low insertion force while exhibiting high extraction resistance for a secure mounting point against a panel.

Short Description MOC Clip, 5 mm dia, 5 mm dia, with 6.5 mm Fir Tree, PA66HIRHSUV, Black, 2000/ctn

Global Part Name MOC5FMOC5FT6.5M-PA66HIRHSUV-BK

Length L (Imperial)	1.10
Length L (Metric)	28.0
Height H (Imperial)	1.04
Height H (Metric)	26.3
Depth D (Imperial)	0.39
Depth D (Metric)	10.0
Mounting Hole Diameter D (Imperial)	0.25 " HEX; 0.26
Mounting Hole Diameter D (Metric)	6.5 mm (+/- 0.4 mm) 6.35 mm (hexagonal)
Material	Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)
Material Shortcut	PA66HIRHSUV
Flammability	UL 94 HB
Halogen Free	Yes
UV Resistant (Yes/No)	Yes
Operating Temperature	-40°F to +221°F (-40°C to +105°C)

Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	2000
Package Quantity (Metric)	2000
Customs Number	3926909988

## About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 40 countries, with North American headquarters in Milwaukee, Wisconsin. ([www.hellermann.tyton.com](http://www.hellermann.tyton.com)).

© 2024 HellermannTyton. All Rights Reserved.

[Contact Us](#)   [RoHS/WEEE Compliance](#)   [Disclaimer](#)   [Terms and Conditions](#)