

Specification Sheet

Part Number: 157-00081



Fir Tree with Tie, 6.7" Length, Mounting Hole Diameter 0.24" - 0.26", PA66HS, Black, 500/pkg

Article Number	157-00081
Type	OS160FT6HEX
Color	Black (BK)
Features & Benefits	<ul style="list-style-type: none">• Friction tab inside of fir tree allows tie to sit in mount without falling out prior to installation.• Initial fir tree serves as a locating feature for assistance in blind assembly applications.• Disc feature provides anti-rattle protection in high vibration applications.
Quantity Per	bag

Product Description

Fir tree mounts with ties cables provide a secure grip in mounting holes and protect against dirt and other impurities. The mount provides low insertion and high extraction force, and slides along the cable tie for the proper orientation. This is sold as an assembly with the cable tie.

Short Description

Fir Tree with Tie, 6.7" Length, Mounting Hole Diameter 0.24" - 0.26", PA66HS, Black, 500/pkg

Global Part Name

OS160FT6HEX-PA66HS-BK

Minimum Tensile Strength (Imperial)

44.96

Minimum Tensile Strength (Metric)

200

Length L (Imperial)

6.7

Length L (Metric)

170.0

Fixation Method

Fir Tree

Identification Plate Position

none

Releasable Closure

No

Tie Closure

plastic pawl

Width W (Imperial)

0.21

Width W (Metric)

5.3

Bundle Diameter Min (Imperial)

0.06

Bundle Diameter Min (Metric)

1.6

Bundle Diameter Max (Imperial)

1.18

Bundle Diameter Max (Metric)

30.0

Thickness T (Metric)	1.4
Height H (Imperial)	0.06
Height H (Metric)	1.52
Panel Thickness Min(Imperial)	0.03
Panel Thickness Max(Imperial)	0.197
Panel Thickness Min (Metric)	0.7
Panel Thickness Max (Metric)	5.0
Mounting Hole Diameter D (Imperial)	0.24 - 0.26
Mounting Hole Diameter D (Metric)	6.35 mm
Mounting Hole Diameter D Min (Imperial)	0.25
Mounting Hole Diameter D Max (Imperial)	0.26
Mounting Hole Diameter D Max (Metric)	6.35
Disc Diameter(Metric)	16.0
Disc Diameter (Imperial)	0.63
Material	Polyamide 6.6 heat stabilized (PA66HS)
Material Shortcut	PA66HS

Operating Temperature (Metric)	-40°F to +221°F (-40°C to +105°C)
Reach Complaint(Article 33)	Yes
ROHS Complaint	Yes
Package Quantity(Imperial)	500
Package Quantity (Metric)	500
Customs Number	3926909988
Content Unit(BMEcat)	pcs.