

Specification Sheet

Part Number: 157-00105



1-Pc Cable Tie/Oval Stud Mount, 6.6" Long, 50lb Tensile, With Thumb Bar, PA66HS, Black, 3000/pkg

Article Number	157-00105
Type	T50SOSSB5-High-E-C-CC
Color	Black (BK)
Features & Benefits	<ul style="list-style-type: none">• Head allows for a .2" lateral adjustment on stud during installation.• Quick and easy installation ideal for manufacturing environment.
Quantity Per	bag
Product Description	Oval Shaped Stud Mount's special design allows for a .20" (5.5 mm) lateral adjustment, allowing for any misalignment of the stud or incorrect position of the tie on the cables. The mount allows it to be installed onto a weld stud without the use of any tools.
Short Description	1-Pc Cable Tie/Oval Stud Mount, 6.6" Long, 50lb Tensile, With Thumb Bar, PA66HS, Black, 3000/pkg

Global Part Name

T50SOSSB5-High-E-C-CC-PA66HS-BK

Minimum Tensile Strength (Imperial)

50.0

Minimum Tensile Strength (Metric)

222.0

Length L (Imperial)

6.6

Length L (Metric)

167.0

Fixation Method

Weld Stud Fixing

Identification Plate Position

none

Releasable Closure

No

Tie Closure

plastic pawl

Variant

Outside Serrated

Width W (Imperial)

0.2

Width W (Metric)

5.0

Bundle Diameter Min (Imperial)

0.04

Bundle Diameter Min (Metric)

1.0

Bundle Diameter Max (Imperial)

1.4

Bundle Diameter Max (Metric)

35.0

Stud Length Max (Imperial)

0.56

Stud Length Max (Metric)	14.2
---------------------------------	------

Stud Diameter (Metric) 5.0 mm

Stud Diameter (Imperial)	0.20
---------------------------------	------

Material	Polyamide 6.6 heat stabilized (PA66HS)
-----------------	--

Material Shortcut PA66HS

Flammability	UL 94 V2
---------------------	----------

Operating Temperature (Metric) -40°F to +221°F (-40°C to +105°C)

ROHS Complaint	Yes
-----------------------	-----

Package Quantity(Imperial)	3000
-----------------------------------	------

Package Quantity (Metric) 3000

Customs Number	3926909988
-----------------------	------------

Content Unit(BMEcat) bag

