

Specification Sheet

Part Number: 157-00270



Offset Fir Tree, 8.5" Long, 50lb Tensile Strength, PA66HIRHS, Grey, 500/bag

Article Number

157-00270

Type

T50ROSFTM6SO12.5B

Color

Gray (GY)

Features & Benefits

- One-piece cable tie and fixing offers a simple and easy to use method of bundling and fixing cables, through the design of the fir tree by ensuring positive and secure fixing into panels with thicknesses from 0.6-6.65mm.
- The offset on the cable tie creates an alternate solution when an offset fixing option is required and a tape clip cannot be used due to the design which reduces the potential of the bundle flexing or shifting.
- The 'disc' on the top of the fir tree covers the hole and minimizes the ingress of water and dirt.

Quantity Per

bag

Product Description

HellermannTyton's Off-Set Fir Tree Cable Tie and fixing offers a simple and easy to use method of bundling and fixing cables, the design of the fir tree ensures a positive and secure fixing into panels with thicknesses from .2" - .26"= or threaded blind holes. The 'disc' on the top of the fir tree covers the hole and minimizes the ingress of water and dirt."

Short Description

Offset Fir Tree, 8.5" Long, 50lb Tensile Strength, PA66HIRHS, Grey, 500/bag

Global Part Name

T50ROSFTM6SO12.5B-PA66HIRHS-GY

Minimum Tensile Strength (Imperial)

50.0

Length L (Imperial)

8.5

Offset Length(Imperial)

0.49

Identification Plate Position

none

Releasable Closure

No

Width W (Imperial)

0.19

Bundle Diameter Min (Imperial)

0.08

Bundle Diameter Max (Imperial)

1.97

Height H (Imperial)

0.85

Panel Thickness Min(Imperial)

0.02

Panel Thickness Max(Imperial)

0.26

Mounting Hole Diameter D (Imperial)

0.24

Mounting Hole Diameter D Max (Imperial)

0.24

Disc Diameter (Imperial)

0.59

Material

Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS)

Material Shortcut

PA66HIRHS

ROHS Complaint

Yes

Package Quantity (Metric)

500