

Specification Sheet

Part Number: 157-00275

Standoff design keeps bundles away from mounting surface and obstructions.

Low-profile outside serrated tie with grip rails keeps harnesses and wires protected and secure.

Four-pawl, three-tooth design provides low insertion force and delivers outstanding stud retention.

Mount can be used in a wide variety of applications including 5 mm and 6 mm bolts, as well as weld studs.

Designed for quick and easy assembly by hand without the need for tools.



1-Piece Cable Tie/Round Stud Mount, M6 stud, 8.0" Long, PA66HIRHS, Black, 1500/pkg

Article Number 157-00275

Type T50RM6OSSM

Color Black (BK)

Quantity Per carton

Product Description One-piece cable tie with stud mount features a standoff design that keeps bundles away from mounting surfaces and obstructions. With its low insertion force and high extraction performance, HellermannTyton's mounting tie offers the ideal combination of high-grade materials and superior design to suit the mounting and bundling needs of complex applications.

Short Description	1-Piece Cable Tie/Round Stud Mount, M6 stud, 8.0" Long, PA66HIRHS, Black, 1500/pkg
Global Part Name	T50RM6OSSM-PA66HIRHS-BK
Minimum Tensile Strength (Imperial)	50
Minimum Tensile Strength (Metric)	225
Length L (Imperial)	8.8
Length L (Metric)	223.52
Fixation Method	Stud Mount
Identification Plate Position	none
Releasable Closure	No
Tie Closure	plastic pawl
Variant	Outside Serrated
Width W (Imperial)	1.00
Width W (Metric)	25.0
Bundle Diameter Min (Imperial)	0.19
Bundle Diameter Min (Metric)	5.0
Bundle Diameter Max (Imperial)	1.97

Bundle Diameter Max (Metric)	50.0
Height H (Imperial)	1.31
Height H (Metric)	33.3
Mounting Hole Diameter D (Metric)	M6
Stud Diameter (Metric)	M6
Material	Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS)
Material Shortcut	PA66HIRHS
Flammability	UL 94 HB
Halogen Free	Yes
UV Resistant (Yes/No)	No
Operating Temperature	-40°F to +221°F (-40°C to +105°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	1500
Package Quantity (Metric)	1500

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 40 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).