

Specification Sheet

Part Number: 157-00344



Low-Profile M12 Stud Mount Tie, 7.5" Tie, 80lb Tensile Strength, PA66HIRHS, Black, 2000/pkg

Article Number	157-00344
Type	T80ROSLPSB12U
Color	Black (BK)
Features & Benefits	<ul style="list-style-type: none">• Low-profile head allows mounts to stack, providing more mounting versatility from a single stud.• Four-pawl, three-tooth design delivers outstanding stud retention to keep bundles secure.
Quantity Per	carton

Product Description

Mount features a low-profile head, allowing multiple tie mounts to be stacked on a single bolt and providing space savings in tight areas. With their low insertion force and high extraction performance, HellermannTyton mounting ties offer the ideal combination of high-grade materials and superior design to suit the mounting and bundling needs of complex applications. Available in standard and high-heat material options.

Short Description

Low-Profile M12 Stud Mount Tie, 7.5" Tie, 80lb Tensile Strength, PA66HIRHS, Black, 2000/pkg

Global Part Name

T80ROSLPSB12U-PA66HIRHSUV-BK

Minimum Tensile Strength (Imperial)

80.0

Minimum Tensile Strength (Metric)

355

Length L (Imperial)

8.6

Length L (Metric)

218.0

Fixation Method

Stud Mount

Identification Plate Position

none

Releasable Closure

No

Tie Closure

plastic pawl

Width W (Imperial)

0.93

Width W (Metric)

23.75

Bundle Diameter Min (Imperial)

0.14

Bundle Diameter Min (Metric)

3.5

Bundle Diameter Max (Imperial)

1.97

Bundle Diameter Max (Metric)

50.0

Cable Ties

157-00344

Height H (Imperial)

0.31

Height H (Metric)

8.0

Mounting Hole Diameter D (Imperial)

0.47" x 0.07

Mounting Hole Diameter D (Metric)

M12 x 1.75

Stud Diameter (Metric)

12.0 mm

Stud Diameter (Imperial)

0.47

Material

Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)

Material Shortcut

PA66HIRHSUV

Flammability

UL 94 HB

Operating Temperature (Metric)

-40°F to +230°F (-40°C to +110°C)

Reach Complaint(Article 33)

Yes

ROHS Complaint

Yes

Package Quantity(Imperial)

2000

Package Quantity (Metric)

2000

Customs Number

3926909988

Content Unit(BMEcat)

pcs.

Weight (Metric)

0.0033

Weight (Imperial)

0.007