

## Specification Sheet

Part Number: 2.5N9C



Sheathing allows flexible routing and lead-out of cables  
The inner edges are beveled preventing damage to cables  
Sheathing is reusable and resistant to most chemicals  
Spiralwrap is U.L. Recognized

Spiralwrap Protective Sheathing, 0.38" Diameter, PA6, Natural, 100 ft/roll

Article Number	161-05019
Type	2.5N
Color	Natural (NA)
Quantity Per	reel
Product Description	HellermannTyton's Spiralwrap protective sheathing provides cable protection and flexible routing. Spiralwrap is wrapped around a group of cables to shield and organize.
Short Description	Spiralwrap Protective Sheathing, 0.38" Diameter, PA6, Natural, 100 ft/roll
Global Part Name	2.5N-PA6-NA

Length L (Imperial)	100.0
Length L (Metric)	30.48
Variant	Spiral Binding
Bundle Diameter Min (Imperial)	0.3125
Bundle Diameter Min (Metric)	7.92
Bundle Diameter Max (Imperial)	3.0
Bundle Diameter Max (Metric)	76.2
Diameter D (Imperial)	0.375
Diameter D (Metric)	9.53
Nominal Diameter (Imperial)	0.38
Nominal Diameter (Metric)	9.53
Wall Thickness WT (Imperial)	0.035
Wall Thickness WT (Metric)	0.89
Material	Polyamide 6 (PA6)
Material Shortcut	PA6

Flammability	Self-extinguishing
Halogen Free	Yes
Operating Temperature	-40°F to +250°F (-40°C to +121°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
UL Recognized (US)	Yes
Package Quantity (Imperial)	100
Package Quantity (Metric)	30.48
Customs Number	3926909988