

## Specification Sheet

Part Number: 2.5NFP9C



Sheathing allows flexible routing and lead-out of cables

The inner edges are beveled preventing damage to cables

Sheathing is reusable and resistant to most chemicals

Spiralwrap is U.L. Recognized

Spiralwrap Protective Sheathing, 0.38" Diameter, PE, Natural, 100 ft/roll

**Article Number** 161-05027

**Type** 2.5NFP

**Color** Natural (NA)

**Quantity Per** reel

**Product Description** HellermannTyton's Spiralwrap protective sheathing provides cable protection and flexible routing. Spiralwrap is wrapped around a group of cables to shield and organize.

**Short Description** Spiralwrap Protective Sheathing, 0.38" Diameter, PE, Natural, 100 ft/roll

**Global Part Name** 2.5NFP-PE-NA

<b>Length L (Imperial)</b>	100.0
<b>Length L (Metric)</b>	30.48
<b>Variant</b>	Spiral Binding
<b>Bundle Diameter Min (Imperial)</b>	0.31
<b>Bundle Diameter Min (Metric)</b>	7.92
<b>Bundle Diameter Max (Imperial)</b>	3.0
<b>Bundle Diameter Max (Metric)</b>	76.2
<b>Diameter D (Imperial)</b>	0.375
<b>Diameter D (Metric)</b>	9.53
<b>Nominal Diameter (Imperial)</b>	0.38
<b>Nominal Diameter (Metric)</b>	9.53
<b>Wall Thickness WT (Imperial)</b>	0.052
<b>Wall Thickness WT (Metric)</b>	1.32
<b>Material</b>	Polyethylene (PE)
<b>Material Shortcut</b>	PE

<b>Flammability</b>	Flammable
<b>Halogen Free</b>	Yes
<b>Operating Temperature</b>	-76°F to +190°F (-60°C to +88°C)
<b>Reach Compliant (Article 33)</b>	Yes
<b>ROHS Compliant</b>	Yes
<b>UL Recognized (US)</b>	Yes
<b>Package Quantity (Imperial)</b>	100
<b>Package Quantity (Metric)</b>	30.48
<b>Customs Number</b>	3926909988