


Specification Sheet

Part Number: 3P9C



Spiralwrap Protective Sheathing, 0.5" Diameter, PTFE, Natural, 100 ft/roll

Article Number 161-05056

Type 3P

Color Natural (NA)

Features & Benefits

- Sheathing allows flexible routing and lead-out of cables
- The inner edges are beveled preventing damage to cables
- Sheathing is reusable and resistant to most chemicals
- Spiralwrap is U.L. Recognized

Quantity Per reel

Product Description HellermannTyton's Spiralwrap protective sheathing provides cable protection and flexible routing. Spiralwrap is wrapped around a group of cables to shield and organize.

Short Description	Spiralwrap Protective Sheathing, 0.5" Diameter, PTFE, Natural, 100 ft/roll
Global Part Name	3P-PTFE-NA
Length L (Imperial)	100.0
Length L (Metric)	30.48
Variant	Spiral Binding
Bundle Diameter Min (Imperial)	0.375
Bundle Diameter Min (Metric)	9.52
Bundle Diameter Max (Imperial)	3.0
Bundle Diameter Max (Metric)	76.2
Diameter D (imperial)	0.5
Diameter D (metric)	12.7
Nominal Diameter (Imperial)	0.5
Nominal Diameter (Metric)	12.7
Wall Thickness WT (Imperial)	.030
Wall Thickness WT (Metric)	0.76

Material	Polytetrafluoroethylene (PTFE)
Material Shortcut	PTFE
Flammability	Non-Flammable
Halogen free	No
Operating Temperature (Metric)	-449°F to +500°F (-267°C to +260°C)
Reach Complaint(Article 33)	Yes
ROHS Complaint	Yes
UL Recognized (US)	Yes
Package Quantity(Imperial)	100
Package Quantity (Metric)	30.48
Customs Number	3926909988