

## Specification Sheet

Part Number: 161-63503



Helawrap, HWPAV030, 1-1/4" (30mm) Dia, PA6V0, Black, 100 ft/reel

**Article Number** 161-63503

**Type** HWPAV030

**Color** Black (BK)

**Features & Benefits**

- Designed for applications that demand high flame retardant materials
- Unique open design allows for easy branch-offs at any point along the harness
- Overwrap formation provides abrasion protection and accommodates multiple bundle configurations
- Flexible construction and design is well suited for applications that involve movement and vibration
- Easy-to-use installation tool makes assembly fast and easy

**Quantity Per** reel

<b>Product Description</b>	The Helawrap cable management system is the flexible routing and protection solution for industrial, datacom and electrical applications. Helawrap easily wraps around cables with a "zipper-like" motion to protect against abrasion and mechanical stress caused by movement and bending. A handy application tool is included in every package for faster installations.
<b>Short Description</b>	Helawrap, HWPAV030, 1-1/4" (30mm) Dia, PA6V0, Black, 100 ft/reel
<b>Global Part Name</b>	HWPAV030-PA6V0-BK
<b>Length L (Imperial)</b>	100.0
<b>Length L (Metric)</b>	30.48
<b>Variant</b>	Spiral Binding
<b>Bundle Diameter Min (Imperial)</b>	1.14
<b>Bundle Diameter Min (Metric)</b>	29.0
<b>Bundle Diameter Max (Imperial)</b>	1.26
<b>Bundle Diameter Max (Metric)</b>	32.0
<b>Diameter D (Imperial)</b>	1.25
<b>Diameter D (Metric)</b>	30.0
<b>Nominal Diameter (Imperial)</b>	1.25
<b>Nominal Diameter (Metric)</b>	31.75

<b>Wall Thickness WT (Imperial)</b>	0.050
<b>Wall Thickness WT (Metric)</b>	1.30
<b>Material</b>	Polyamide 6 V0 (PA6V0)
<b>Material Shortcut</b>	PA6V0
<b>Flammability</b>	UL 94 V0
<b>Halogen Free</b>	Yes
<b>Operating Temperature</b>	-40°F to +194°F (-40°C to +90°C)
<b>Reach Compliant (Article 33)</b>	Yes
<b>ROHS Compliant</b>	Yes
<b>Certification/Specification</b>	UL   UL 1441 EN [45545-2]:2015
<b>UL Recognized (US)</b>	Yes
<b>Package Quantity (Imperial)</b>	100
<b>Package Quantity (Metric)</b>	30.48
<b>Customs Number</b>	3926909988

**Weight (Metric)** 4.46

**Weight (Imperial)** 9.83