

Specification Sheet

Part Number: 166-90372



HelaGuard Non-Metallic IP68 Fitting, Y-Divider, 3/4" reduce to 1/2", 0.75" Dia, PA66, Black, 3/pkg

Article Number 166-90372

Type HGL075-Y050

Color Black (BK)

Features & Benefits

- Conduit divider fitting used to reduce conduit run diameter sizes.
- Snap-on construction reduces installation time and costs by eliminating the need to thread fittings onto conduits.
- All-around "teeth" attach firmly to conduit and deliver a high extraction force.
- Durable nylon material has high resistance to salts, oils, weak acids and solvents.
- IP68 fitting has additional conduit seal for increased protection against wind, dirt and water.

Quantity Per bag

Product Description	HelaGuard Non-Metallic Y-Divider connectors are used to reduce diameter of conduit runs and re-direct in side-by-side direction. Constructed of a very durable nylon material with a high resistance to salts, oils, weak acids and solvents. Designed for easy removal with small screwdriver. IP68 ingress protection rated fittings. IP68 ingress protection rated fittings.
Short Description	HelaGuard Non-Metallic IP68 Fitting, Y-Divider, 3/4" reduce to 1/2", 0.75" Dia, PA66, Black, 3/pkg
Global Part Name	HGL075-Y050-PA66-BK
Variant	Y-Connector
Nominal Diameter (Imperial)	0.38
Nominal Diameter (Metric)	16
Material	Polyamide 6.6 (PA66)
Material Shortcut	PA66
Flammability	UL 94 V2
Halogen free	Yes
Operating Temperature (Metric)	-58°F to +275°F (-50°C to +135°C)
Reach Complaint(Article 33)	Yes

ROHS Complaint Yes

UL Recognized (US) Yes

UL Recognized (US and Canada) Yes

Package Quantity(Imperial) 3

Package Quantity (Metric) 3

Customs Number 3926909988