

Specification Sheet

Part Number: 166-90372



HelaGuard Non-Metallic IP68 Fitting, Y-Divider, 3/4" reduce to 1/2", 0.75" Dia, PA66, Black, 3/pkg

Article Number	166-90372
Type	HGL075-Y050
Color	Black (BK)
Features & Benefits	<ul style="list-style-type: none">• Conduit divider fitting used to reduce conduit run diameter sizes.• Snap-on construction reduces installation time and costs by eliminating the need to thread fittings onto conduits.• All-around "teeth" attach firmly to conduit and deliver a high extraction force.• Durable nylon material has high resistance to salts, oils, weak acids and solvents.• IP68 fitting has additional conduit seal for increased protection against wind, dirt and water.
Quantity Per	bag

Product Description

HelaGuard Non-Metallic Y-Divider connectors are used to reduce diameter of conduit runs and re-direct in side-by-side direction. Constructed of a very durable nylon material with a high resistance to salts, oils, weak acids and solvents. Designed for easy removal with small screwdriver. IP68 ingress protection rated fittings. IP68 ingress protection rated fittings.

Short Description

HelaGuard Non-Metallic IP68 Fitting, Y-Divider, 3/4" reduce to 1/2", 0.75" Dia, PA66, Black, 3/pkg

Global Part Name

HGL075-Y050-PA66-BK

Variant

Y-Connector

Nominal Diameter (Imperial)

3/8

Nominal Diameter (Metric)

16

Material

Polyamide 6.6 (PA66)

Material Shortcut

PA66

Flammability

UL 94 V2

Halogen free

Yes

Operating Temperature (Metric)

-58°F to +275°F (-50°C to +135°C)

Reach Complaint(Article 33)

Yes

ROHS Complaint

Yes

UL Recognized (US)

Yes

UL Recognized (US and Canada)

Yes

Package Quantity(Imperial)

3

Package Quantity (Metric)

3

Customs Number

3926909988