

## Specification Sheet

Part Number: LTP16-M16-S


Multipart compression fitting includes nylon seal for ingress protection ratings to IP66 + IP67 + IP68 + IP69.

Swivel feature allows conduit system to be fully assembled, complete with wiring, while still allowing the fitting to be screwed into a metric threaded entry box without having to rotate the conduit.

Insulated throat protects conductors from mechanical damage caused by vibration.

Durable nickel plated brass material provides high mechanical strength and resistance to oil and corrosion.

Interchangeable with all LTP series liquid-tight metallic conduits made to UL360 sizes.



Liquid-Tight Met Comp Swivel Ftg, Flex, Straight, M16 Metric Thread, 0.38" (16mm) Dia, NPB Metal, 10/pkg

<b>Article Number</b>	166-90410
<b>Type</b>	LTS038-SMC-M16
<b>Color</b>	Metal (ML)
<b>Quantity Per</b>	pack

<b>Product Description</b>	Multipart straight compression fitting with swivel external Metric threads for liquid-tight performance. Constructed with nickel plated brass components that resists corrosion, ensures high mechanical strength and electrical continuity. Fitting comprised of body, swivel thread, nut, grounding ferrule and nylon compression seal. For use with LTP series liquid tight metallic conduit.
<b>Short Description</b>	Liquid-Tight Met Comp Swivel Ftg, Flex, Straight, M16 Metric Thread, 0.38" (16mm) Dia, NPB Metal, 10/pkg
<b>Global Part Name</b>	LTS038-SMC-M16-NPB/PA6-ML
<b>Technical Description</b>	Manufacturer Reference Number: LTP16-M16-S
<b>Length L (Imperial)</b>	1.61
<b>Length L (Metric)</b>	40.9
<b>Variant</b>	Straight
<b>Height H (Imperial)</b>	1.02
<b>Height H (Metric)</b>	26.0
<b>Nominal Diameter (Imperial)</b>	0.38
<b>Nominal Diameter (Metric)</b>	16.0
<b>Material</b>	Nickel Plated Brass (NPB) Polyamide 6 (PA6)

<b>Material Shortcut</b>	PA6 NPB
<b>Halogen Free</b>	Yes
<b>Operating Temperature</b>	-58°F to +275°F (-50°C to +135°C)
<b>Reach Compliant (Article 33)</b>	Yes
<b>ROHS Compliant</b>	Yes
<b>Package Quantity (Imperial)</b>	10
<b>Package Quantity (Metric)</b>	10

© 2021 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)