

Specification Sheet

Part Number: LTP25-E



Single part insert creates smooth entry/exit point for wire and cables.

HelaGuard Metallic Conduit End Cap Insert, 0.75" (25mm) Dia, NPB Metal, 10/pkg

Article Number	166-90441
Type	LTS075-EI
Color	Metal (ML)
Quantity Per	pack
Product Description	Nickel plated brass end cap insert creates a smooth bore exit, ensuring cables do not get damaged. Twist-in ferrule serves as grounding core for liquid tight metallic conduits. Use with LTP series metallic conduits.
Short Description	HelaGuard Metallic Conduit End Cap Insert, 0.75" (25mm) Dia, NPB Metal, 10/pkg
Global Part Name	LTS075-EI-NPB-ML
Length L (Imperial)	0.85

Length L (Metric)	21.5
Variant	Endcap
Height H (Imperial)	1.13
Height H (Metric)	28.7
Nominal Diameter (Imperial)	0.75
Nominal Diameter (Metric)	25.0
Material	Nickel Plated Brass (NPB)
Material Shortcut	NPB
UV Resistant (Yes/No)	No
Operating Temperature	-58°F to +275°F (-50°C to +135°C)
Package Quantity (Imperial)	10
Package Quantity (Metric)	10

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach

to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2024 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)