

Specification Sheet

Part Number: FSU20-E



HelaGuard Metallic Conduit End Cap Insert, Flexible 0.50" (20mm) Dia, NPB Metal, 10/pkg

Article Number 166-90844

Type FSU20-E

Color Metal (ML)

Features & Benefits

- Single-part insert creates smooth entry / exit point for wire and cables.

Quantity Per pack

Product Description Nickel-plated brass end cap insert creates a smooth bore exit, protecting cables from damage. Twist-in ferrule serves as grounding core for spiral-constructed metallic conduit. Use with FSU, LFHU, FPU, SSU and FU-X series metallic conduit.

| | |
|---------------------------------------|---|
| Short Description | HelaGuard Metallic Conduit End Cap Insert, Flexible 0.50" (20mm) Dia, NPB Metal, 10/pkg |
| Global Part Name | FSU20-E-GS-SR |
| Length L (Imperial) | 0.91 |
| Length L (Metric) | 23.0 |
| Height H (Imperial) | 0.90 |
| Height H (Metric) | 22.9 |
| Nominal Diameter (Imperial) | 0.5 |
| Nominal Diameter (Metric) | 20 |
| Material | Galvanised Steel (GS) |
| Material Shortcut | GS |
| Operating Temperature (Metric) | -148°F to +572°F (-100°C to +300°C) |
| Package Quantity(Imperial) | 10 |
| Package Quantity (Metric) | 10 |

Customs Number

7415290000

© 2020 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)