

Specification Sheet

Part Number: FSU25-E



HelaGuard Metallic Conduit End Cap Insert, Flexible 0.75" (25mm) Dia, NPB Metal, 10/pkg

Article Number 166-90845

Type FSU25-E

Color Metal (ML)

Features & Benefits

- Single-part insert creates smooth entry / exit point for wire and cables.

Quantity Per pack

Product Description Nickel-plated brass end cap insert creates a smooth bore exit, protecting cables from damage. Twist-in ferrule serves as grounding core for spiral-constructed metallic conduit. Use with FSU, LFHU, FPU, SSU and FU-X series metallic conduit.

Short Description	HelaGuard Metallic Conduit End Cap Insert, Flexible 0.75" (25mm) Dia, NPB Metal, 10/pkg
Global Part Name	FSU25-E-GS-SR
Length L (Imperial)	1.08
Length L (Metric)	27.4
Height H (Imperial)	1.13
Height H (Metric)	28.7
Nominal Diameter (Imperial)	3/4
Nominal Diameter (Metric)	25
Material	Galvanised Steel (GS)
Material Shortcut	GS
Operating Temperature (Metric)	-148°F to +572°F (-100°C to +300°C)
Use Conditions	For Indoor Use Only
Package Quantity(Imperial)	10

