

Specification Sheet

Part Number: FSU25-E



Single-part insert creates smooth entry / exit point for wire and cables.

HelaGuard Metallic Conduit End Cap Insert, Flexible 0.75" (25mm) Dia, NPB Metal, 10/pkg

| | |
|----------------------------|---|
| Article Number | 166-90845 |
| Type | FSU25-E |
| Color | Metal (ML) |
| Quantity Per | pack |
| Product Description | Nickel-plated brass end cap insert creates a smooth bore exit, protecting cables from damage. Twist-in ferrule serves as grounding core for spiral-constructed metallic conduit. Use with FSU, LFHU, FPU, SSU and FU-X series metallic conduit. |
| Short Description | HelaGuard Metallic Conduit End Cap Insert, Flexible 0.75" (25mm) Dia, NPB Metal, 10/pkg |
| Global Part Name | FSU25-E-NPB/PVC-ML |

Length L (Imperial) 1.08

Length L (Metric) 27.4

Height H (Imperial) 1.13

Height H (Metric) 28.7

Nominal Diameter (Imperial) 0.75

Nominal Diameter (Metric) 25

Material Polyvinylchloride (PVC) Nickel Plated Brass (NPB)

Material Shortcut PVC NPB

Operating Temperature -148°F to +572°F (-100°C to +300°C)

Package Quantity (Imperial) 10

Package Quantity (Metric) 10

