

## Specification Sheet

Part Number: FSU25-E



Single-part insert creates smooth entry / exit point for wire and cables.

HelaGuard Metallic Conduit End Cap Insert, Flexible 0.75" (25mm) Dia, NPB Metal, 10/pkg

Article Number	166-90845
Type	FSU25-E
Color	Metal (ML)
Quantity Per	pack
Product Description	Nickel-plated brass end cap insert creates a smooth bore exit, protecting cables from damage. Twist-in ferrule serves as grounding core for spiral-constructed metallic conduit. Use with FSU, LFHU, FPU, SSU and FU-X series metallic conduit.
Short Description	HelaGuard Metallic Conduit End Cap Insert, Flexible 0.75" (25mm) Dia, NPB Metal, 10/pkg
Global Part Name	FSU25-E-NPB/PVC-ML

Length L (Imperial) 1.08

Length L (Metric) 27.4

Height H (Imperial) 1.13

Height H (Metric) 28.7

Nominal Diameter (Imperial) 0.75

Nominal Diameter (Metric) 25

Material Polyvinylchloride (PVC) Nickel Plated Brass (NPB)

Material Shortcut NPB PVC

Operating Temperature -148°F to +572°F (-100°C to +300°C)

Package Quantity (Imperial) 10

Package Quantity (Metric) 10

