


Specification Sheet

Part Number: FSU40-E



Single-part insert creates smooth entry / exit point for wire and cables.

HelaGuard Metallic Conduit End Cap Insert, Flexible 1.25" (40mm) Dia, NPB Metal, 2/pkg

Article Number 166-90847

Type FSU40-E

Color Metal (ML)

Quantity Per pack

Product Description Nickel-plated brass end cap insert creates a smooth bore exit, protecting cables from damage. Twist-in ferrule serves as grounding core for spiral-constructed metallic conduit. Use with FSU, LFHU, FPU, SSU and FU-X series metallic conduit.

Short Description HelaGuard Metallic Conduit End Cap Insert, Flexible 1.25" (40mm) Dia, NPB Metal, 2/pkg

Global Part Name FSU40-E-NPB/PVC-ML

Length L (Imperial) 1.10

Length L (Metric) 27.9

Height H (Imperial) 1.87

Height H (Metric) 47.5

Nominal Diameter (Imperial) 1.25

Nominal Diameter (Metric) 40

Material Polyvinylchloride (PVC) Nickel Plated Brass (NPB)

Material Shortcut NPB PVC

Operating Temperature -148°F to +572°F (-100°C to +300°C)

Package Quantity (Imperial) 2

Package Quantity (Metric) 2

