

## Specification Sheet

Part Number: FSU40-E



HelaGuard Metallic Conduit End Cap Insert, Flexible 1.25" (40mm) Dia, NPB Metal, 2/pkg

**Article Number** 166-90847

**Type** FSU40-E

**Color** Metal (ML)

**Features & Benefits**

- Single-part insert creates smooth entry / exit point for wire and cables.

**Quantity Per** pack

**Product Description** Nickel-plated brass end cap insert creates a smooth bore exit, protecting cables from damage. Twist-in ferrule serves as grounding core for spiral-constructed metallic conduit. Use with FSU, LFHU, FPU, SSU and FU-X series metallic conduit.

<b>Short Description</b>	HelaGuard Metallic Conduit End Cap Insert, Flexible 1.25" (40mm) Dia, NPB Metal, 2/pkg
<b>Global Part Name</b>	FSU40-E-GS-SR
<b>Length L (Imperial)</b>	1.10
<b>Length L (Metric)</b>	27.9
<b>Height H (Imperial)</b>	1.87
<b>Height H (Metric)</b>	47.5
<b>Nominal Diameter (Imperial)</b>	1-1/4
<b>Nominal Diameter (Metric)</b>	40
<b>Material</b>	Galvanised Steel (GS)
<b>Material Shortcut</b>	GS
<b>Operating Temperature (Metric)</b>	-148°F to +572°F (-100°C to +300°C)
<b>Use Conditions</b>	For Indoor Use Only
<b>Package Quantity(Imperial)</b>	2

