

## Specification Sheet

Part Number: CTP20



Convoluted Tubing, Slit, 2" Dia, PE, Black, 700ft/carton

<b>Article Number</b>	169-60510
<b>Type</b>	CTP20
<b>Color</b>	Black (BK)
<b>Features &amp; Benefits</b>	<ul style="list-style-type: none"><li>• Durable tubing provides protection of wire harness from friction, vibration, fraying and puncture</li><li>• Tubing protects cables and wires against automotive fluids, vibration wear</li><li>• Weather resistant material provides protection against water, snow, ice, and the effects of heat, cold, and sunlight</li></ul>
<b>Quantity Per</b>	carton

### Product Description

HellermannTyton's Convoluted Tubing, also known as Split Loom Tubing, provides an efficient method of routing and protecting wire harness assemblies, while reducing the chance of installation damage. With a split down the side where you can insert your wire harness, you can just easily install Convoluted Tubing without removal of the entire assembly. It can also serve to protect valuable hoses and cables. Convoluted tubing offers excellent protection against vibration wear, water, snow, ice and the effects of heat, cold and sunlight on cables and wires.

<b>Short Description</b>	Convoluted Tubing, Slit, 2" Dia, PE, Black, 700ft/carton
<b>Global Part Name</b>	CTP20-PE-BK
<b>Technical Description</b>	Convolute Tubing, Slit, 2" Dia., PE, Black
<b>Length L (Imperial)</b>	700.0
<b>Length L (Metric)</b>	213.4
<b>Inner Diameter D (Imperial)</b>	2.038
<b>Inner Diameter D (Metric)</b>	51.77
<b>Diameter D (imperial)</b>	2.388
<b>Diameter D (metric)</b>	60.66
<b>Outside Diameter OD(Imperial)</b>	2.388
<b>Outside Diameter OD(metric)</b>	60.66
<b>Nominal Diameter (Imperial)</b>	2
<b>Nominal Diameter (Metric)</b>	50.8
<b>Wall Thickness WT (Imperial)</b>	.011
<b>Wall Thickness WT (Metric)</b>	0.28

<b>Material</b>	Polyethylene (PE)
<b>Material Shortcut</b>	PE
<b>Operating Temperature (Metric)</b>	-40°F to +199°F (-40°C to +93°C)
<b>ROHS Complaint</b>	Yes
<b>Package Quantity(Imperial)</b>	700
<b>Package Quantity (Metric)</b>	213.4