

Specification Sheet

Part Number: 169-60530



Convuluted Tubing, Slit, 5/8" Dia., 190.5 mm Cut to Length Pieces, PE, Black, 1300ft/Carton

Article Number	169-60530
Type	CPT580
Color	Black (BK)
Features & Benefits	<ul style="list-style-type: none">• Split side is ideal for applications where braided tubing or spiral wrap may be difficult to install.• Tubing provides full coverage where spiral wrap or other coverings may not be suitable.• In harsh applications the tubing provides resistance to crushing, impact, and abrasion.• Tubing offers excellent protection against automotive fluids, vibration wear, water, snow, ice, and the effects of heat, cold, and sunlight on cables and wires.
Quantity Per	carton

Product Description

HellermannTyton's Convoluted Tubing, also known as Split Loom Tubing, provides an efficient method of routing and protecting wire harness assemblies, while reducing the chance of installation damage. With a split down the side where you can insert your wire harness, you can just easily install Convoluted Tubing without removal of the entire assembly. It can also serve to protect valuable hoses and cables. Convoluted tubing offers excellent protection against vibration wear, water, snow, ice and the effects of heat, cold and sunlight on cables and wires.

Short Description

Convoluted Tubing, Slit, 5/8" Dia., 190.5 mm Cut to Length Pieces, PE, Black, 1300ft/Carton

Global Part Name

CPT580-PE-BK

Length L (Imperial)

1300.0

Length L (Metric)

396.2

Inner Diameter D (Imperial)

0.639

Inner Diameter D (Metric)

16.23

Diameter D (imperial)

0.837

Diameter D (metric)

21.26

Outside Diameter OD(Imperial)

0.837

Outside Diameter OD(metric)

21.26

Nominal Diameter (Imperial)

5/8

Nominal Diameter (Metric)

15.88

Wall Thickness WT (Imperial)

.005

Wall Thickness WT (Metric)

0.127

Material

Polyethylene (PE)

Material Shortcut

PE

Operating Temperature (Metric)

-40°F to +199°F (-40°C to +93°C)

Reach Complaint(Article 33)

Yes

ROHS Complaint

Yes

Package Quantity(Imperial)

1300

Package Quantity (Metric)

396.2

Customs Number

3926909987

Content Unit(BMEcat)

pcs.