

## Specification Sheet

Part Number: 170-01128

Flexible, woven construction reduces abrasion and simplifies cable inspection.

Self-wrapping feature allows for easy installation and removal of sleeving from enclosed components and cables.

Over-wrapping pattern bends to very tight radius yet prevents accidental exposure of wires.



Braided Sleeving, Twist-In (A), 1-1/4" Dia, PET, Orange,82.0 ft/reel;

Article Number	170-01128
Type	Twist-In(A)32
Color	Orange (OG)
Quantity Per	reel

**Product Description**

Helagaine Twist-In is a self-closing sleeve manufactured from polyester monofilaments. The self-wrapping feature allows for easy, quick installation and removal of the sleeving even on enclosed components and cables. Helagaine Twist-In gives quick and easy access to cables and wires for inspection, maintenance and assembly at any time. Helagaine Twist-In covers a wide range of applications and diameters with a small range of sizes.

**Short Description** Braided Sleeving, Twist-In (A), 1-1/4" Dia, PET, Orange,82.0 ft/reel;

Global Part Name	Twist-In(A)32-PET-OG
Bundle Diameter Min (Imperial)	1.14
Bundle Diameter Min (Metric)	29
Bundle Diameter Max (Imperial)	1.26
Bundle Diameter Max (Metric)	32
Diameter D (Metric)	32
Nominal Diameter (Imperial)	1.26
Nominal Diameter (Metric)	32
Wall Thickness WT (Imperial)	0.04
Wall Thickness WT (Metric)	0.9
Material	Polyester (PET)
Material Shortcut	PET
Flammability	FMVSS 302, Type B Self-extinguishing
Halogen Free	No

Operating Temperature -58°F to +257°F (-50°C to +125°C)

Reach Compliant (Article 33) Yes

ROHS Compliant Yes

Package Quantity (Imperial) 82.0

Package Quantity (Metric) 25