


Specification Sheet

Part Number: 170-03085



Braided Sleeving, Split Wrap, 1" Dia, PET, Orange, 100 ft/bulk reel

Article Number

170-03085

Type

BSPSW103B

Color

Orange (OG)

Features & Benefits

- Split wrap design needs no fasteners and installs quickly, saving assembly time and future accessibility without disassembly.
- Bends to a tight radius without distortion or splitting open.
- Unique construction retains shape and rigidity throughout unrolling.
- Easy open design allows quick access and ability to apply protective sleeving post assembly or post installation situations.

Quantity Per

box

| | |
|---------------------------------------|--|
| Product Description | A lateral split semi-rigid braided sleeving configuration used when ease of installation and repeat access to wire bundle is required. The lateral split allows the sleeving to open and accommodate a variety of bundling requirements. The 25% edge overlap rolls back over connectors and splices without exposing the bundled wires. |
| Short Description | Braided Sleeving, Split Wrap, 1" Dia, PET, Orange, 100 ft/bulk reel |
| Global Part Name | BSPSW103B-PET-OG |
| Length L (Imperial) | 100.0 |
| Length L (Metric) | 30.48 |
| Bundle Diameter Min (Imperial) | 0.1 |
| Bundle Diameter Min (Metric) | 2.54 |
| Bundle Diameter Max (Imperial) | 1.0 |
| Bundle Diameter Max (Metric) | 25.4 |
| Diameter D (imperial) | 1.0 |
| Diameter D (metric) | 25.4 |
| Nominal Diameter (Imperial) | 1 |
| Nominal Diameter (Metric) | 25.4 |
| Wall Thickness WT (Imperial) | 0.038 |

| | |
|---------------------------------------|-----------------------------------|
| Wall Thickness WT (Metric) | 0.97 |
| Material | Polyester (PET) |
| Material Shortcut | PET |
| Flammability | UL 94 V0 |
| Halogen free | Yes |
| Operating Temperature (Metric) | -94°F to +257°F (-70°C to +125°C) |
| Reach Complaint(Article 33) | Yes |
| ROHS Complaint | Yes |
| UL Recognized (US) | Yes |
| Package Quantity(Imperial) | 100 |
| Package Quantity (Metric) | 30.48 |
| Customs Number | 5808100000 |
| Weight (Metric) | 0.91 |
| Weight (Imperial) | 2.0 |

© 2020 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)