

Specification Sheet

Part Number: 170-03160



Nomex® High Temperature Woven Sleeveing, .38" Dia, GN, 100 ft/bulk reel

Article Number	170-03160
Type	BSNMX385B
Color	Green (GN)
Features & Benefits	<ul style="list-style-type: none">•Self extinguishing material does not melt and is unaffected by most acids, and provides excellent thermal stability against direct flame.•Provides excellent thermal stability.•Meets FMVSS 302 specifications for use in automotive engineering.•Material cuts with ordinary scissors which reduces assembly time.
Quantity Per	reel

Product Description

A densely woven aramid fiber sleeveing, this soft and flexible material is self extinguishing and can withstand temperatures reaching up to 662°F. Excellent for use in extremely harsh environments including those with exposure to direct flame, high temperatures, as well as Beta, Gamma and X-Ray radiation - in particular, military and aerospace wiring and harnessing applications.

Short Description	Nomex® High Temperature Woven Sleeving, .38" Dia, GN, 100 ft/bulk reel
Global Part Name	BSNMX385B-NOMEX®-GN
Length L (Imperial)	100.0
Length L (Metric)	30.48
Bundle Diameter Min (Imperial)	0.25
Bundle Diameter Min (Metric)	6.4
Bundle Diameter Max (Imperial)	0.5
Bundle Diameter Max (Metric)	12.7
Diameter D (imperial)	0.38
Diameter D (metric)	9.5
Nominal Diameter (Imperial)	3/8
Nominal Diameter (Metric)	9.7
Material	Polyaramid Polymetaphenylene Isophthalamide
Material Shortcut	NOMEX®
Flammability	UL VW-1

Halogen free Yes

Operating Temperature (Metric) -320°F to +662°F (-196 °C to +350 °C)

Reach Complaint(Article 33) Yes

ROHS Complaint Yes

Package Quantity(Imperial) 100

Package Quantity (Metric) 30.48

Customs Number 5806322000

Weight (Metric) 0.3

Weight (Imperial) 0.67