

Specification Sheet

Part Number: 170-03161



Nomex® High Temperature Woven Sleeveing, .5" Dia, GN, 100 ft/bulk reel

Article Number	170-03161
Type	BSNMX125B
Color	Green (GN)
Features & Benefits	<ul style="list-style-type: none">•Self extinguishing material does not melt and is unaffected by most acids, and provides excellent thermal stability against direct flame.•Provides excellent thermal stability.•Meets FMVSS 302 specifications for use in automotive engineering.•Material cuts with ordinary scissors which reduces assembly time.
Quantity Per	reel
Product Description	A densely woven aramid fiber sleeveing, this soft and flexible material is self extinguishing and can withstand temperatures reaching up to 662°F.
Short Description	Nomex® High Temperature Woven Sleeveing, .5" Dia, GN, 100 ft/bulk reel

Global Part Name

BSNMX125B-NOMEX®-GN

Length L (Imperial)

100.0

Length L (Metric)

30.48

Bundle Diameter Min (Imperial)

0.31

Bundle Diameter Min (Metric)

7.9

Bundle Diameter Max (Imperial)

0.63

Bundle Diameter Max (Metric)

16.0

Diameter D (imperial)

0.50

Diameter D (metric)

12.7

Nominal Diameter (Imperial)

1/2

Nominal Diameter (Metric)

12.7

Material

Polyaramid Polymetaphenylene Isophthalamide

Material Shortcut

NOMEX®

Flammability

UL VW-1

Halogen free

Yes

Operating Temperature (Metric)	-320°F to +662°F (-196 °C to +350 °C)
Reach Complaint(Article 33)	Yes
ROHS Complaint	Yes
Package Quantity(Imperial)	100
Package Quantity (Metric)	30.48
Customs Number	3926909987
Weight (Metric)	0.41
Weight (Imperial)	0.91