

Specification Sheet

Part Number: 170-03232

Self-wrapping feature allows easy installation and future access to wire and cables.

Unique blend and construction using monofilament and multifilament strands provide flexibility, high coverage and abrasion resistance.

Extra overlapping design keeps wires contained even in tight bend conditions.



Braided Sleeving, Woven Convoluted Wrap, 5/16" Dia, PET, Orange, 325 ft/reel

Article Number 170-03232

Type BSPW516

Color Orange (OG)

Quantity Per reel

Product Description Split Wrap Woven Sleeving is a self-closing sleeving manufactured from a unique blend of monofilament and multifilament polyester fibers that resemble a tightly woven material. The wrap around design provides increased flexibility, better coverage and greater resistance from abrasion for wires, cables and assemblies. Can also be used to reduce noise in applications that involve movement, while protecting sensitive electronics and communication systems from dust and debris.

Short Description Braided Sleeving, Woven Convoluted Wrap, 5/16" Dia, PET, Orange, 325 ft/reel

Global Part Name BSPW516-PET-OG

Length L (Imperial) 325.0

Length L (Metric) 99.1

Bundle Diameter Min (Imperial) 0.1

Bundle Diameter Min (Metric) 2.5

Bundle Diameter Max (Imperial) 0.31

Bundle Diameter Max (Metric) 8.0

Diameter D (Imperial) 0.313

Diameter D (Metric) 8.0

Nominal Diameter (Imperial) 0.315

Nominal Diameter (Metric) 8.0

Wall Thickness WT (Imperial) 0.027

Wall Thickness WT (Metric) 0.7

Material Polyester (PET)

Material Shortcut PET

Flammability	FMVSS 302 UL 94 V-0
Halogen Free	No
UV Resistant (Yes/No)	No
Use Conditions	For Indoor Use Only
Operating Temperature	-94°F to +302°F (-70°C to +150°C)
Reach Compliant (Article 33)	No
ROHS Compliant	Yes
Package Quantity (Imperial)	325.0
Package Quantity (Metric)	99.1
Customs Number	5806322000

© 2024 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)