

Specification Sheet

Part Number: 170-03238

Self-wrapping feature allows easy installation and future access to wire and cables.

Unique blend and construction using monofilament and multifilament strands provide flexibility, high coverage and abrasion resistance.

Extra overlapping design keeps wires contained even in tight bend conditions.



Braided Sleeving, Woven Convoluted Wrap, 1-1/2" Dia, PET, Orange, 50.0 ft/reel

Article Number 170-03238

Type BSPW1120

Color Orange (OG)

Quantity Per reel

Product Description This split, wrap-around style woven convoluted sleeving utilizes a unique elastic construction for added flexibility and abrasion resistance. The overlapping design creates material memory allowing the sleeve to quickly roll back over connectors and splices without exposing bundled cabling.

Short Description Braided Sleeving, Woven Convoluted Wrap, 1-1/2" Dia, PET, Orange, 50.0 ft/reel

Global Part Name BSPW1120-PET-OG

Length L (Imperial) 50.0

Length L (Metric) 15.2

Bundle Diameter Min (Imperial) 0.098

Bundle Diameter Min (Metric) 2.5

Bundle Diameter Max (Imperial) 1.50

Bundle Diameter Max (Metric) 38.1

Diameter D (Imperial) 1.5

Diameter D (Metric) 38.0

Nominal Diameter (Imperial) 1.496

Nominal Diameter (Metric) 38.0

Wall Thickness WT (Imperial) 0.027

Wall Thickness WT (Metric) 0.7

Material Polyester (PET)

Material Shortcut	PET
Flammability	UL 94 V-0 and FMVSS-302
Halogen Free	No
Operating Temperature	-94°F to +302°F (-70°C to +150°C)
Reach Compliant (Article 33)	No
ROHS Compliant	Yes
Package Quantity (Imperial)	50.0
Package Quantity (Metric)	15.2

© 2022 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)