


Specification Sheet

Part Number: 170-23000



Helagaine Braided Sleeving, 30 mm Dia, PA66, GY, 164ft/Reel

Article Number 170-23000

Type HEGPA6630

Color Gray (GY)

Features & Benefits

- Nylon monofilament construction weave offers a tight braid that provides full coverage but will not rot or retain moisture.
- Material performs well in wet applications and where abiding substrate has a smooth surface.

Quantity Per metre

Product Description Helagaine Nylon Polyamide Expandable Braided Sleeving is a pliable yet durable sleeve that protects against cuts, abrasion and excessive wear caused by repetitive motion.

Short Description Helagaine Braided Sleeving, 30 mm Dia, PA66, GY, 164ft/Reel

Global Part Name	HEGPA6630-PA66-GY
Length L (Imperial)	164.0
Length L (Metric)	50.0
Bundle Diameter Min (Imperial)	0.98
Bundle Diameter Min (Metric)	25
Bundle Diameter Max (Imperial)	1.26
Bundle Diameter Max (Metric)	32
Diameter D (imperial)	1.18
Diameter D (metric)	29.9
Nominal Diameter (Imperial)	1-1/4
Nominal Diameter (Metric)	30
Material	Polyamide 6.6 (PA66)
Material Shortcut	PA66
Flammability	FMVSS 302 UL 94 V2

Halogen free	Yes
Operating Temperature (Metric)	-76°F to +302°F (-60°C to +150°C)
Reach Complaint(Article 33)	Yes
ROHS Complaint	Yes
Certification/Specification WEB	EN [45545-2]:2013
Use Conditions	For Indoor Use Only
Package Quantity(Imperial)	164
Package Quantity (Metric)	50
Customs Number	5808100000
Content Unit(BMEcat)	metre
Weight (Metric)	2.25
Weight (Imperial)	4.9