

## Specification Sheet

Part Number: 173-61000



Electromagnetic Protection Braided Sleeving, Flame Retardant, 10 mm Dia,PET;TNCU, TCBK, 164ft/Reel

**Article Number**

173-61000

**Type**

HEGEMIPV010

**Color**

Tin-coloured and Black (TCBK)

**Features & Benefits**

- The patented material mix of the HEGMIPV0 braided sleeving offer electromagnetic protection and secure cable bundling.
- The special combination of tin-plated copper and PBTV0 yarn offers optimal inside and outside abrasion resistance.
- In restricted space areas, HEGMIPV0 is easy to apply without any threads and breaks in the metal.

**Quantity Per**

metre

**Product Description**

HellermannTyton's patented Helagaine HEGEMIP braided sleeving offers electromagnetic protection on highly sensitive electronic applications. This material mix of braided sleeving is self-extinguishing, according to UL94 V0, and is particularly suitable for areas where fire protection is imperative.

**Short Description**

Electromagnetic Protection Braided Sleeving, Flame Retardant, 10 mm Dia,PET;TNCU, TCBK, 164ft/Reel

**Global Part Name**

HEGEMIPV010-PBT/TNCU-ML

**Length L (Imperial)**

164.0

**Length L (Metric)**

50.0

**Bundle Diameter Min (Imperial)**

0.32

**Bundle Diameter Min (Metric)**

8

**Bundle Diameter Max (Imperial)**

0.52

**Bundle Diameter Max (Metric)**

13

**Diameter D (imperial)**

0.39

**Diameter D (metric)**

10

**Nominal Diameter (Imperial)**

3/8

**Nominal Diameter (Metric)**

10

**Material**

Polyester (PBT) Tin-plated copper (SNCU)

**Material Shortcut**

PBT TNCU

**Flammability**

UL 94 V0 FMVSS 302

**Halogen free** No

**Operating Temperature (Metric)** -40°F to +302°F (-40°C to +150°C)

**Reach Complaint(Article 33)** Yes

**ROHS Complaint** Yes

**Package Quantity(Imperial)** 164

**Package Quantity (Metric)** 50

**Customs Number** 5902100000

**Content Unit(BMEcat)** metre

**Weight (Imperial)** 9.6