

## Specification Sheet

Part Number: 181-94014



Wiring Duct Cover for 4" Duct, 6 ft Long, PVC, White, 120 ft/carton

**Article Number** 181-94014

**Type** TC4

**Color** White (WH)

**Features & Benefits**

- A temporary film is applied to the covers to protect against scratches and is writable for identification during installation.
- Cover is flush with the side of the duct for increased wire capacity and allows for tight, side by side duct placement.
- Covers are provided with a non-slip lining, which insures the covers remain in place during vibration, yet they easily snap on and off. (Covers to be purchased separately)

**Quantity Per** carton

|                              |   |
|------------------------------|---|
| <b>Product Description</b>   | HellermannTyton's Pro-Duct wiring duct covers are sold separately and interchangeable among the 3 styles of duct (solid, slotted and high density). Manufactured from high impact, rigid PVC, Pro-Duct covers come in standard colors of white, gray and black. Wiring duct covers are available in 6 foot lengths. |
| <b>Short Description</b>     | Wiring Duct Cover for 4" Duct, 6 ft Long, PVC, White, 120 ft/carton   |
| <b>Global Part Name</b>      | TC4-PVC-WH  |
| <b>Technical Description</b> | Wiring Duct Cover for 4" Duct, White  |
| <b>Length L (Imperial)</b>   | 6.0   |
| <b>Length L (Metric)</b>     | 1.83  |
| <b>Width W (Imperial)</b>    | 4.0   |
| <b>Width W (Metric)</b>      | 101.6   |
| <b>Height H (Imperial)</b>   | 0.317   |
| <b>Height H (Metric)</b>     | 8.05  |
| <b>Material</b>              | Polyvinylchloride (PVC)   |
| <b>Material Shortcut</b>     | PVC   |
| <b>Flammability</b>          | Self-Extinguishing  |

|  |  |
|--|--|
| <b>Halogen free</b>                    | No   |
| <b>Operating Temperature (Metric)</b>  | +122°F (+50°C)                                   |
| <b>Reach Complaint(Article 33)</b>     | No   |
| <b>ROHS Complaint</b>                  | Yes  |
| <b>Certification/Specification WEB</b> | EN 50085-2-3_1A CSA EN 50085-1:2005 + A1:2013 UL |
| <b>UL Recognized (US)</b>              | Yes  |
| <b>Package Quantity(Imperial)</b>      | 120  |
| <b>Package Quantity (Metric)</b>       | 36.58  |
| <b>Customs Number</b>                  | 3925900000                                       |