

## Specification Sheet

Part Number: 201-20010

An innovative coupling system allows for an unlimited number of bundling combinations.

Clips can be easily released and reused.

Clips swivel freely which reduces mechanical stress and eliminates pinch points.

High Impact Polyamide 6.6 material provides firm fit even in rugged conditions.

Consists of acrylate adhesive with base of polyurethane foam allowing it to adhere firmly and easily to nearly any surface.



Protective Strap for Helawrap HWCLIP25 and HWCLIP30, Black, PVC, 500/pkg

Article Number 201-20010

Type R1

Color Black (BK)

Quantity Per pcs.

**Product Description**

The Helawrap cable management system is the flexible routing and protection solution for industrial, datacom and electrical applications. Clips can be joined to a base and another clip of any size, therefore allowing the R1 protective strap to hold wires down effortlessly. Different cable sizes can be bundled together, organized and protected flexibly and efficiently.

|                       |  |
|-----------------------|--|
| Short Description     | Protective Strap for Helawrap HWCLIP25 and HWCLIP30, Black, PVC, 500/pkg |
| Global Part Name      | R1-PVC-BK  |
| Length L (Imperial)   | 0.63   |
| Length L (Metric)     | 16.0   |
| Fixation Method       | screwable  |
| Width W (Imperial)    | 0.94   |
| Width W (Metric)      | 23.8   |
| Height H (Imperial)   | 0.13   |
| Height H (Metric)     | 3.2  |
| Material              | Flexible Polyvinyl Chloride, cadmium free (PVC)                          |
| Material Shortcut     | PVC  |
| Flammability          | UL 94 V-2  |
| Halogen Free          | No   |
| UV Resistant (Yes/No) | No   |

Operating Temperature -31°F to +122°F (-35°C to +50°C)

Reach Compliant (Article 33) Yes

ROHS Compliant Yes

Package Quantity (Imperial) 500

Package Quantity (Metric) 500

Customs Number 3926909988

## About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 40 countries, with North American headquarters in Milwaukee, Wisconsin. ([www.hellermann.tyton.com](http://www.hellermann.tyton.com)).

© 2024 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)