

## Specification Sheet

Part Number: 201-20010



Protective Strap for Helawrap HWCLIP25 and HWCLIP30, Black, PVC, 500/pkg

Article Number	201-20010
Type	R1
Color	Black (BK)
Features & Benefits	<ul style="list-style-type: none"><li>• An innovative coupling system allows for an unlimited number of bundling combinations.</li><li>• Clips can be easily released and reused.</li><li>• Clips swivel freely which reduces mechanical stress and eliminates pinch points.</li><li>• High Impact Polyamide 6.6 material provides firm fit even in rugged conditions.</li><li>• Consists of acrylate adhesive with base of polyurethane foam allowing it to adhere firmly and easily to nearly any surface.</li></ul>
Quantity Per	pcs.

### Product Description

The Helawrap cable management system is the flexible routing and protection solution for industrial, datacom and electrical applications. Clips can be joined to a base and another clip of any size, therefore allowing the R1 protective strap to hold wires down effortlessly. Different cable sizes can be bundled together, organized and protected flexibly and efficiently.

<b>Short Description</b>	Protective Strap for Helawrap HWCLIP25 and HWCLIP30, Black, PVC, 500/pkg
<b>Global Part Name</b>	R1-PVC-BK
<b>Length L (Imperial)</b>	0.63
<b>Length L (Metric)</b>	16.0
<b>Fixation Method</b>	screwable
<b>Width W (Imperial)</b>	0.94
<b>Width W (Metric)</b>	23.8
<b>Height H (Imperial)</b>	0.13
<b>Height H (Metric)</b>	3.2
<b>Material</b>	Flexible Polyvinyl Chloride, cadmium free (PVC)
<b>Material Shortcut</b>	PVC
<b>Flammability</b>	UL 94 V2
<b>Halogen free</b>	No
<b>Operating Temperature (Metric)</b>	-31°F to +122°F (-35°C to +50°C)
<b>Reach Complaint(Article 33)</b>	Yes

<b>ROHS Complaint</b>	Yes
<b>Package Quantity(Imperial)</b>	500
<b>Package Quantity (Metric)</b>	500
<b>Customs Number</b>	3926909988
<b>Content Unit(BMEcat)</b>	pcs.
<b>Weight (Metric)</b>	0.3
<b>Weight (Imperial)</b>	0.66