

## Specification Sheet

Part Number: D20L4



Available in three sizes, HellermannTyton screw mount clips offer quick, snap-in action.

These clips allow for easy release for wiring changes or replacements, saving both time and money.

Screw Mount Cable Clip, 0.79" Max Bundle Dia, 0.31" Mounting Hole Dia, POM, Black, 200/pkg

**Article Number** 211-70204

**Type** 8D20

**Color** Black (BK)

**Quantity Per** bag

**Product Description** Developed for fixing pipes, cables and hoses, the D-Clips elastic locking system ensures optimal fixing and at the same time, easy removal of the fixed elements by simply pressing the lower latch down and pulling the fixed element.

**Short Description** Screw Mount Cable Clip, 0.79" Max Bundle Dia, 0.31" Mounting Hole Dia, POM, Black, 200/pkg

**Global Part Name** 8D20-POM-BK

<b>Length L (Imperial)</b>	1.10
<b>Length L (Metric)</b>	28.0
<b>Fixation Method</b>	screw-hole
<b>Variant</b>	Closed
<b>Width W (Imperial)</b>	0.59
<b>Width W (Metric)</b>	15.0
<b>Bundle Diameter Min (Imperial)</b>	0.79
<b>Bundle Diameter Min (Metric)</b>	20.0
<b>Bundle Diameter Max (Imperial)</b>	0.79
<b>Bundle Diameter Max (Metric)</b>	20.0
<b>Nominal Diameter (Imperial)</b>	0.75
<b>Nominal Diameter (Metric)</b>	20.0
<b>Wall Thickness WT (Imperial)</b>	0.10
<b>Wall Thickness WT (Metric)</b>	2.5
<b>Mounting Hole Diameter D (Imperial)</b>	0.31
<b>Mounting Hole Diameter D (Metric)</b>	8.0 mm

**Mounting Hole Diameter D Min (Imperial)** 0.31

**Mounting Hole Diameter D Max (Imperial)** 0.31

**Mounting Hole Diameter D Max (Metric)** 8.0

**Material** Polyacetal (POM)

**Material Shortcut** POM

**Flammability** UL 94 HB

**UV Resistant (Yes/No)** No

**Operating Temperature** -40°F to +194°F (-40°C to +90°C)

**Reach Compliant (Article 33)** Yes

**ROHS Compliant** Yes

**Package Quantity (Imperial)** 200

**Package Quantity (Metric)** 200

**Customs Number** 3926909988

