

Specification Sheet

Part Number: MCRFW-CD8

Raceway and fittings are manufactured from a UL94 V0 rated material to insure compliance with codes.

All fittings have been designed to maintain the required 1" minimum bend radius to meet TIA/EIA-568-B and 569-A standard.

Raceway and fittings are UL Listed to 600 volts to meet new UL5A and CSA 22.2 No. 62-93 standards.

Integrated design of the raceway divider ensures proper separation of power and data cabling per UL/CSA standards.



InfoStream Multi-Channel Raceway Center Divider, 8 ft Long, PVC, Office White, 48ft/pkg

Article Number	250-00011
Type	MCR-CD8
Color	Office White (OEWH)
Quantity Per	box
Product Description	Dividers snap onto raceway base rails for proper power and data separation per UL/CSA.
Short Description	InfoStream Multi-Channel Raceway Center Divider, 8 ft Long, PVC, Office White, 48ft/pkg

Global Part Name	MCR-CD8-PVC-WH
Length L (Imperial)	8.0
Length L (Metric)	2.43
Material	Polyvinylchloride (PVC)
Material Shortcut	PVC
Flammability	UL 94 V0
Halogen Free	No
Operating Temperature	+122°F (+50°C)
Reach Compliant (Article 33)	No
ROHS Compliant	Yes
Package Quantity (Imperial)	48
Package Quantity (Metric)	14.63
Customs Number	3925900000

© 2021 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)